



A better approach to

Pex Piping

and plumbing products



ComfortPro
AquaSeal

Pex piping and plumbing products

NEW PRODUCT INFORMATION

Pex Piping

ProPort Manifolds | #22000 Series



ProPort Manifold

ProPort modular water distribution manifolds are available in 3, 4, 5, 6, 8 & 10 port configurations with 3/4 " & 1 " service. Each manifold outlet has shut off valves, mounting clips, 1/2 " pipe to manifold connections and can be mounted horizontally, vertically or back to back. 3/8" or 1/2 " manifold to pipe connections are available in straight or 90° swivel. Manifold end caps and couplings for home run or modified home run allow for system piping options. Individual supply lines deliver hot or cold water directly from the manifold to the specific plumbing fixture. One connection at the manifold and one at the fixture is all that is required.



ProPlas 90° Swivel



ProPlas Straight

ProPlas Plastic Fittings | #15000, 16000, 17000, 18000, & 19000 Series



ProPlas Straight Adapter



ProPlas Elbow Adapter

AquaSeal ProPlas series polymer insert fittings for use with CTS-OD, SDR9 cross-linked polyethylene (Pex) tubing represent a new generation of joining products specifically designed for Pex hot-cold water distribution systems and hydronic heating systems. The ProPlas fitting line (per ASTM F-2159) offers, 3/8", 1/2 " , 3/4 " , and 1" pex sizes; in elbows, reducing elbows, swivel elbows, couplings, reducing couplings, straight tees, reducing tees, straight adapters, 90° swivel adapters and plugs. ProPlas fittings must be installed in accordance with good plumbing practices, applicable code requirements, and manufacturer instructions.



ProPlas Straight Tee Adapter



ProPlas Reducing Tee Adapter

Multiport Tees | #2600 Series



Multiport Tee #26019



Multiport Tee #26020



Multiport Tee #26021



Multiport Tee #26022

AquaSeal Multiport brass insert tees for use with CTS-OD, SDR9 cross-linked polyethylene (Pex) tubing is a faster and more efficient way to pipe a branch and tee system. Multiport tees eliminate extra fittings and are available in three and four port styles with 3/4" inlet and 1/2" barbed supply or three and four port 3/4" inlet/outlet with 1/2" barbed supply.

Pinchlok Clamps | #24000

Pinchlock Tool
& Clamps

Pinchlok clamps are available in 3/8", 1/2", 5/8", 3/4", and 1" Pex tubing sizes and conform to ASTM F 2098 specifications. Their unique design creates a superior 360° watertight seal and is protected by a 30 year manufacturers warranty when installed by a certified installer. One ratchet tool provides fast trouble-free installation of all size clamps.

Pipe-n-Pipe | #92000 Series



Pipe-n-Pipe Blue



Pipe-n-Pipe Red

Pipe-n-Pipe is available in 1/2", 3/4", and 1" Pex tubing sizes in 100 and 300 foot coil lengths with a red or blue outer sheath for easy identification of hot and cold water lines. The flexible PE sheath provides mechanical and UV protection to the carrier pipe. The sheath allows for easy replacement of the Pex carrier pipe if need. Pipe-n-Pipe is covered by a twenty five year manufacturers warranty and is manufactured to ASTM F-876-877, F-2023, NSF61, ICC, IAPMO AND CSA B137.5. Pipe-n-Pipe can be used in several applications; in slab installations requiring pipe to be sleeved for perpetual access and to feed high temperature baseboard or fan coils. It lowers expansion and contraction noise.



NEW PRODUCT INFORMATION

Pex Piping

Pex Risers | #19000 Series



Above: Closet tube / Below: Lav Riser

AquaSeal lavatory and toilet risers are made from PEX which is a heavy-duty polymer that provides exceptional burst resistance and is designed for quick and easy installation from the water supply to the dishwasher. We now offer 20" and 36" pex lavatory risers with one formed end. Additionally we have 20" pex toilet risers with one formed end.

Pex Plumbing Specialties | #19000 Series



Above:
Icemaker 25
Right:
Icemaker



Washmac



AquaSeal Icemaker Supply Lines are made from PEX which is a heavy-duty polymer that provides exceptional burst resistance and is designed for quick and easy installation from the water supply to the refrigerator icemaker. This 1/4" X 1/4" connection installs quickly to existing icemaker valve or saddle tee valve. PEX Icemaker Supply Lines are resistant to abrasion, corrosion, and kinking.

Aqua Seal Braided Washing Machine Supply Lines are made from PEX which is a heavy-duty polymer that provides exceptional burst resistance and is designed for quick and easy installation from the water supply to the washing machine. Available with 1/2" OD connection installs quickly to hot or cold water washing machine water supply valves. Braided PEX Washing Machine Supply Lines are resistant to abrasion, corrosion, and kinking and meet all washing machine manufacturers' water flow requirements.

Look to the complete family of **ComfortPro** products.



ComfortPro Systems
8150 North Lehigh
Morton Grove, IL 60053
Toll Free: 1-800-968-8905
www.comfortprosystems.com

